

GROWING-UP INTERNATIONAL CORP. (TAIWAN)
31, 3 Alley, 75 Lane, Tai Ping Rd., Sec.2, Tsao Tuen, Nantou 54263, TAIWAN
<http://www.growing8.com>, TEL: 886-49-2337-927, FAX: 886-49-2337-928, growing8@growing8.com

GROWING-UP INTERNATIONAL CORP.

31, 3 Alley, 75 Lane, Tai Ping Rd., Sec. 2, Tsao Tuen, Nantou, TAIWAN.

TEL: 886-49-233-7927(main line) FAX:886-49-233-7928

<http://www.growing8.com> E-MAIL: growing8@growing8.com

[Instruction Manual]

Link-FLORA TG (Technical Grade)

- **Product name:** **Link-FLORA TG** **[item#YM-1090907-TG]**
- **Active ingredient:** Enzyme, Amino acid 10%, No chemical
- **Physical properties:** Liquid
- **Features:** To increase inflorescences and seeds and reduce falling flowers and fruits.
- **Product manual:**
 1. The size and the normal structural differentiation of a plant reproductive organs, such as flowers, pollen or inflorescences are the most important factors in the rate of pollination and fruit setting. "**Link-FLORA**" can induce the plant itself to regulate endogenous hormones and transmit signal to nucleus via endogenous hormones. Then mRNA is converted into biologically active protein related to flowering, so that the plant reproductive organs are normally differentiated with stable structure. Thus, the deformed flower is not easily formed, or the pollen is inactive due to abnormal differentiation.
 2. "**Link-FLORA**" also promotes absorption and accumulation of plant nutrients, increases number of inflorescences and the total number of flowers with a strong structure. Utilization of "**Link-FLORA**" develops the growth of pollen tubes while simultaneously regulating plant hormones. Through phosphorus-dissolving properties of "**Link-FLORA**" combined with the application of boron and magnesium, it can raise the rate of flower bud differentiation, early moss extraction, and rise the amount of pollen and its activity to increase the rate of pollination and fruit setting and reduce flower and fruit loss significantly. At the same time, "**Link-FLORA**" is able to stimulate plant's message transmission, affect plant's production

GROWING-UP INTERNATIONAL CORP. (TAIWAN)
31, 3 Alley, 75 Lane, Tai Ping Rd., Sec.2, Tsao Tuen, Nantou 54263, TAIWAN
<http://www.growing8.com>, TEL: 886-49-2337-927, FAX: 886-49-2337-928, growing8@growing8.com

of hormones in reproductive organs, expand number of female flowers, and promote enlargement of the fruit stalk and number of seeds to achieve high productivity.

- **Instruction Manual:**

1. Applicable crop: All
2. Used for watering or foliar spraying.
3. Dilution factor can be adjusted according to individual tests.
4. It can be mixed with general amino acids or chemical components (higher content of boron, phosphorus, and trace elements).

Period	Part to act on	Dilution Factor
Seedling stage	foliar	10000x
Young fruit stage	fruit	7500x
Fruit growth period	fruit	7500x

5. Liquid fertilizer is made by adding 20% of the stock solution to the fertilizer, i.e., it is made into liquid fertilizer. The solid fertilizer can be mixed with 20% of the stock solution evenly outside of the solid fertilizer using a duster.

Types of Crops	Dilution Factor	
	Seedling stage	General stage
Cereal	1200-2400x	2000x
Melon	2000-2400x	2000x
Vegetable	2400-3000x	2000x
Fruit	1200-1500x	2000x
Gardening	1200-1500x	2000x

- **Precautions:**

1. This product may be used with other fertilizers and pesticides, but please avoid mixing with bacterial fungicides.
2. Please apply as soon as possible after opening. Store and seal in a dry and cool place.
3. Pay attention to supplement a lot of fertilizers and amino acid fertilizers to avoid nutrient deficiency caused by rapid growth.

GROWING-UP INTERNATIONAL CORP. (TAIWAN)

31, 3 Alley, 75 Lane, Tai Ping Rd., Sec.2, Tsao Tuen, Nantou 54263, TAIWAN

<http://www.growing8.com>, TEL: 886-49-2337-927, FAX: 886-49-2337-928, growing8@growing8.com